
(T U B)

OTOBO CustomerAgeShowCreated Guide

Release rel-10.1

Rother OSS GmbH

Nov 14, 2024

Contents

1	Description	3
2	System requirements	5
2.1	Framework	5
2.2	Packages	5
2.3	Third-party software	5
3	Usage	7
3.1	Setup	7
3.2	Configuration Reference	7
4	About	9
4.1	Contact	9
4.2	Version	9

(T U B)

CHAPTER 1

Description

The package CustomerAgeShowCreated allows to switch between Age and Created date in customer ticket lists via system configuration.

2.1 Framework

OTOBO 10.1.x

2.2 Packages

-

2.3 Third-party software

-

When an age treshold value is configured in the system configuration setting `TimeShowCreatedAt`, no further action is required. Affected places in the customer frontend are all ticket overviews, the ticket search as well as the Elasticsearch quick result popup.

3.1 Setup

The system configuration setting `TimeShowCreatedAt` can be set to one of three values (1 day, 2 days, 7 days). The value represents a treshold age. For example, if the value is set to 1 day and the age of a ticket is above 1 day, then the age is shown as absolute date instead of time period.

3.2 Configuration Reference

3.2.1 Core::Autoload

`AutoloadPerlPackages###2000-CustomerAgeSwitch`

Return formatted Create date instead of Age if configured treshold age is surpassed.

3.2.2 Core::Time

`TimeShowCreatedAt`

Shows creation date instead of age if ticket is older than configured value (days).

4.1 Contact

Rother OSS GmbH
Email: hello@otobo.io
Web: <https://otobo.io>

4.2 Version

Author: Rother OSS GmbH / Version: rel-10.1 / Date of release: 2024-11-14