



# OTOB Installation Guide

Release rel-10.1

Rother OSS GmbH

Nov 14, 2024



---

## Contents

---

<b>1</b>	<b>Description</b>	<b>3</b>
<b>2</b>	<b>System requirements</b>	<b>5</b>
2.1	Framework . . . . .	5
2.2	Packages . . . . .	5
2.3	Third-party software . . . . .	5
<b>3</b>	<b>Usage</b>	<b>7</b>
3.1	Setup . . . . .	7
3.2	Configuration Reference . . . . .	7
<b>4</b>	<b>About</b>	<b>11</b>
4.1	Contact . . . . .	11
4.2	Version . . . . .	11



( T U B )



# CHAPTER 1

---

## Description

---

A tool to help the developer during development.





## 2.1 Framework

OTOBO 10.1.x

## 2.2 Packages

-

## 2.3 Third-party software

-



## 3.1 Setup

## 3.2 Configuration Reference

### 3.2.1 Core

#### **Fred::ConsoleWidth**

Defines the width of the Fred console in percent.

### 3.2.2 Core::Fred

#### **Fred::ConsoleHeight**

Defines the height of the Fred console in pixel.

#### **Fred::ConsoleOpacity**

Defines the opacity of the Fred console, e.g. 0.9 for 10% transparency.

#### **Fred::Module###SQLLog**

Turn on if you want an realtime SQL statement log function.

#### **Fred::Active**

Defines if fred is visible or hidden.

### **Fred::Module###Console**

Turn on if you want to use the fred console.

### **Fred::Module###HTMLCheck**

Turn on if you want an realtime HTML-checker.

### **Fred::Module###JSLint**

Turn on if you want a JavaScript code quality checker. Only works in CVS Head.

### **Fred::Module###TranslationDebug**

Turn on if you want the translation debugger.

### **Fred::Module###ConfigLog**

Turn on if you want to use the config log mechanism.

### **Fred::Module###ConfigSwitch**

Turn on if you want to use the config switch mechanism.

### **Fred::Module###STDERRLog**

Turn on if you want to see the STDERRLog.

### **Fred::STDERRLogFilter**

Turn on if you want to filter the output of the STDERRLog. You can add a regular expression to filter the output.

### **Fred::Module###SessionDump**

Turn on if you want to see the data in the serverside session object.

### **Fred::Module###EnvDump**

Turn on if you want to see the data in the environment of the layout object.

### **Fred::ConfigLog###OrderBy**

Which order should the config log data have?

### **Fred::ConfigSwitch###Settings**

List of config settings which should be available for quick switch. Please add only settings with possible values 0 or 1 (No/Yes).

### **Fred::SystemName**

Customizable system name. If empty, config item 'Home' is being used for display.

### **Fred::BackgroundColor**

This option defines the background color for the system name box.

## **3.2.3 Frontend::Admin::ModuleRegistration**

### **Frontend::Module###DevelFred**

Frontend module registration for the devel fred object in the admin area.

## **3.2.4 Frontend::Base::Loader**

### **Loader::Customer::CommonCSS###000-Fred**

List of CSS files to always be loaded for the customer interface.

### **Loader::Customer::CommonJS###000-Fred**

List of JS files to always be loaded for the customer interface.

### **Loader::Agent::CommonCSS###000-Fred**

List of CSS files to always be loaded for the agent interface.

### **Loader::Agent::CommonJS###000-Fred**

List of JS files to always be loaded for the agent interface.

## **3.2.5 Frontend::Base::OutputFilter**

### **Frontend::Output::FilterContent###Fred**

Subscribe the output filter at the system.

### 3.2.6 Frontend::Customer::ModuleRegistration

`CustomerFrontend::Module###DevelFred`

Frontend module registration for the customer interface.

### 3.2.7 Frontend::Public::ModuleRegistration

`PublicFrontend::Module###DevelFred`

Frontend module registration for the public interface.

## 4.1 Contact

Rother OSS GmbH  
Email: [hello@otobo.de](mailto:hello@otobo.de)  
Web: <https://otobo.de>

## 4.2 Version

Author: Rother OSS GmbH / Version: rel-10.1 / Date of release: 2024-11-14