



OTOB Installation Guide

Release rel-10.0

Rother OSS GmbH

Sep 22, 2024

Contents

| | | |
|----------|-----------------------------------|----------|
| 1 | Description | 3 |
| 2 | System requirements | 5 |
| 2.1 | Framework | 5 |
| 2.2 | Packages | 5 |
| 2.3 | Third-party software | 5 |
| 3 | Usage | 7 |
| 3.1 | Setup | 7 |
| 3.2 | Configuration Reference | 7 |
| 4 | About | 9 |
| 4.1 | Contact | 9 |
| 4.2 | Version | 9 |

(T U B)

CHAPTER 1

Description

Automatically creates customer users and gives them access via one time authentication tokens.

2.1 Framework

OTOBO 10.0.x

2.2 Packages

-

2.3 Third-party software

-

3.1 Setup

3.2 Configuration Reference

3.2.1 Core::Auth::Customer

OneTimeAuth::AccessDaysAfterClose

The number of days customer users can use direct links to open tickets after they are closed.

OneTimeAuth::CustomerErrorMessageNewLink

The message which the customer user will see if a new one is sent to his email address.

OneTimeAuth::CustomerErrorMessageRefreshFailed

The message which will be sent to the customer if a link could not be generated.

OneTimeAuth::TokenRefreshNotificationID

Send the text of a notification to the customer user if he refreshes his token.

OneTimeAuth::CustomerErrorMessageLinkExpired

The message which the customer user will see if he uses an invalid token.

OneTimeAuth::CustomerErrorMessageWrongLink

The message which the customer user will see if he uses an old token with an active one already being present.

3.2.2 Core::Email::PostMaster

PostMaster::PreFilterModule###000-CreateCustomerUser

Create a CustomerUser in a specific backend if none exists for the sender email. CustomerHeader-SpoofProtection sets (and possibly overwrites) the X-OTOBO-Customer header if a customer user exists for an email address to prevent spoofing. CustomerUserBackend defines the backend in which the CustomerUser will be created, if SetCheckBoxName is set to the name of a dynamic field of the type checkbox, it will be set to checked for tickets created by customer users from this backend.

3.2.3 Daemon::SchedulerCronTaskManager::Task

Daemon::SchedulerCronTaskManager::Task###DeleteExpiredOTATokens

Deletes OTA Tokens of closed tickets.

4.1 Contact

Rother OSS GmbH
Email: hello@otobo.de
Web: <https://otobo.de>

4.2 Version

Author: Rother OSS GmbH / Version: rel-10.0 / Date of release: 2024-09-22